# HP PageWide Managed Color MFP P77940dns



HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

http://www.hp.com/go/learnaboutsupplies

**Print Speed:**Letter: Up to 40 ppm black; Up to 40 ppm color; First Page Out: As fast as 7.80 sec black; As fast as 8.02 sec color

Scan Resolution: Hardware: Up to 600 ppi; Optical: Up to 600 ppi

**Standard Connectivity:**2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket

Paper Handling:550-sheet Universal Input Tray; 100-sheet multi-purpose tray; 500-sheet face-down output bin Duty Cycle:Monthly, letter: Up to 150,000 pages















- Depend on lasting value. Get the results you expect for a game-changing low color cost per page.
- Print even faster—and save even more per page—by setting this printer to General Office mode.3
- Help keep energy costs down with the most efficient MFP in its class.<sup>2</sup>

### Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide MFP designed for less maintenance than laser competitors.4
- Print speeds up to 50% faster than competitors—as fast as 60 ppm in color and black-and-white.6
- Print Microsoft® Word and PowerPoint® files with a USB port that quickly recognizes, formats, and prints.6

## The world's most secure printing

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

#### Designed with the environment in mind

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- This MFP meets rigorous standards for ISO class 5 clean rooms—perfect for sensitive environments.
- Help reduce your impact. Count on easy cartridge recycling at no charge through HP Planet Partners.
- Keep noise to a minimum with an MFP designed to be quiet. Place it near people without disrupting work.

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wist http://hp.com/go/PrintersThatProtect. For more information: http://hp.com/go/Printersecurityclaims. 2 Integrey claim based on TEC data reported on http://energystarg.gov as of February 2018. Data hormalized to determine energy efficiency of in-class color laser printers and MFPs with printing perforts between 20-80 ppm as of February 2018. Subject to device settings. Actual results may available nad based on IPI analysis of leading in-class A3 color laser printers and MFPs as of February 2018; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://hp.com/go/pagewideclaims. 5 Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs (\$3,000-\$10,299 and €2,820-€10,199), and color ink/laser single function printers (\$1,500-\$4,299 and €1,410-€4,099) as of April 2018 excluding other HP PageWide products; competitive set based on markets share data as reported by I/O data provided by gap intelligence and/or Buyers Lab. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://hp.com/go/printerspeeds. 6 Feature works with Microsoft® Word and PowerPoint® 2003 and later. Only Latin language fonts are supported. 7 Program availability varies. For more information, visit http://hp.com/recycle.

# HP PageWide Managed Color MFP P77940dns Specifications Table

Functions / Multitasking Supported	Print, copy, scan, fax (optional) / Yes	Paper Handling	550-sheet Universal Input Tray; 100-sheet multi-purpose tray; 500-sheet face-down output bin;
Print Speed	$\textbf{Letter}: Up \ to \ 40 \ ppm \ black; Up \ to \ 40 \ ppm \ color^5 \ \textbf{\textit{First Page Out.}} \ As \ fast \ as \ 8. \ sec \ black; As \ fast \ as \ 8.3 \ sec \ color^6$		Duplex Options: Automatic (standard); Manual (driver support provided); Auto Document Feeder Capacity: 100; Envelope Feeder: No; Standard Paper Trays: 2; Input Capacities: Up to 550 sheets Tandem Tray; Up to 100 sheets - MP Tray; Output Capacities: Up to 500 sheets; Up to 50 envelopes; None
Duplex Print Speed	Letter: Up to 28 ppm	What's in the box	Y3Z64A HP PW Managed Color MFP P77940dns; HP Setup Ink Cartridges (yield after setup ~8,000
Print Resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	Replacement Cartridges	pages CMY and ~10,000 K); Installation guide, Support flyer; Documentation on CD-ROM; Power cord  HP 990AC Black Contract PageWide Crtg (US/CA) (20,000) X4D18AC; HP 990AC Cyan Contract PageWide
Print Technology	HP PageWide Technology with pigmented inks		Crtg (US/CA) (20,000) X4D09AC; HP 990AC Magenta Contract PageWide Crtg (US/CA) (16,000) X4D12AC; HP 990AC Yellow Contract PageWide Crtg (US/CA) (16,000) X4D15AC; HP 991AC Black
Print Resolution Technologies	HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi		AD IZAC, FIF 95UAC TREUM COLLECT PAGEWINE CLIP (USACIA (10,000 MAT) PAIL, FIF 93 ML, BIASK. Contract PageWide Crig (EU) (20,000) X401 PAIL, FIF 93 ML, BIASK. X401 DAC; HP 991 AK Magenta Contract PageWide Crig (EU) (16,000) X401 PAIC, HP 992 MA (Yellow Contract PageWide Crig (EU) (16,000) X401 BAC; HP 992XX (Black Contract PageWide Crig (LAR) (22,000) MOK30XC; HP 992XC (yan Contract PageWide Crig (LAR) (16,000) MOK17XC; HP 992XX Magenta Contract PageWide Crig (LAR) (16,000) MOK17XC; HP 992XX (Vellow Contra
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)		
Standard Print languages	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation, PJL, JPEG, PCLM		
Printer Smart Software Features	HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; HP ePrint, Apple AirPrint**, HP Auto-OnfAuto-Off technology, HP Cofa Access Control, HP EasyColor, Front-facing USB printing, store print jobs, print preview, automatic two-sided printing, print multiple pages per sheet (2,		(LAR) (16,000) M0K26XC; HP 993AC Black Contract PageWide Crtg (AP) (20,000) X4D20AC; HP 993AC (Van Contract PageWide Crtg (AP) (16,000) X4D11AC; HP 993AC Magenta Contract PageWide Crtg (AP (16,000) X4D17AC; HP 993AC Vellow Contract PageWide Crtg (AP) (16,000) X4D17AC
	4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi	Product Dimensions	<b>W x D x H</b> : 23.8 x 25.7 in x 30.4 in; <b>Maximum</b> : 50.0 x 40.4 x 41.5 in
	print modes, Optional: wireless	Product Weight	181.5 lb <sup>1</sup>
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web Jetadmin Software; Printer Administrator Resource Kit for HP Universal Print Driver	Warranty Features	90 day parts only warranty.
Scan Type / Technology	Flatbed, ADF / Contact Image Sensor (CIS)	Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Gold
Scan Resolution	Hardware: Up to 600 ppi; Optical: Up to 600 ppi	Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with IR touchscreen; rotating (adjustable angle) display;
Scan File Format	Scan File Types supported by included software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), TIFF		illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
	(.tif)	Display Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with IR touchscreen
Scan Input Modes	Front panel applications: Copy, Scan to E-mail with LDAP e-mail address lookup, Scan to Network Folder, Scan to USB, Scan to Sharepoint. Client applications: EWS, HP Scan App,	Software Included	HP Device Experience (DXP), HP PCL 6 Print Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software),
Scan Size	<b>ADF</b> : $11 \times 17$ in; With "long scan size" selected, $8.5 \times 34$ in Maximum; $4 \times 6$ in Minimum; <b>Flatbed</b> : $11 \times 17$ in	Fonts and Typefaces	Online user manuals  105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3
Scan Speed	Up to 50 ipm (mono and color), LEF* <b>Duplex</b> : Up to 35 ipm (mono and color), LEF*		emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash
Scanner Advanced Features	Optimize text/picture; image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; Scan and save to destinations: network folder, FTP, Sharepoint, USB flash drive, e-mail; see software section for more details.	Compatible Operating Systems	memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfon Android, Linux Boss (S.O), Linux Deblan (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise
Bit depth / Grayscale levels	24-bit / 256		(6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-&64-bit editions
Digital Sending Standard Features	Scan-to E-mail with LDAP email address lookup; Scan-to Network Folder; Scan-to USB; Scan-to Sharepoint, Scan to FTP;Send to LAN Fax; Send to Internet Fax; Color Access Control; Native		(excluding RT O5 for Tablets), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions (excluding RT O5 for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
	authorization and authentication; Quick Sets; two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); N-up, N or Z-ordering; content orientation; collation; booklet; ID Scan; job build; edge-to-edge; job storage	Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2
Copy Speed	Up to 40 cpm <sup>3</sup>		SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Pla
Copy Resolution	Black (text and graphics): Up to $600 \times 600$ dpi; Up to $600 \times 600$ dpi; Color (text and graphics): Up to $600 \times 600$ dpi		Feature Pack 2 8.3 for Windows Server 2008 Terminal Services 32- and 64-bit, Ittix XenApp 6.0/6. (fro Windows Server 2008 R2 Terminal Services, 32- and 64-bit), Ittix XenApp 6.0/6.5/7.5 for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Ittix XenApp 7.5 [for Windows Server 2008 R2 SP1 Terminal Server 2008 R2 SP1 Terminal Ser
Maximum Number Of Copies	Up to 9999 copies		Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SF
Copier Resize	25 to 400%		Terminal Services, 3-2- and 64-bit], Cirtix XenDesktop. 7:077.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell Wellare 6.5/5P8 Novell Clients www.novell.com/init, Novell IPrin Appliance v1.0, Novell Open Enterprise Server 11/5P1, Novell Open Enterprise Server 2 for Linux, Nov Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-64-bit (SP1/SP2) Standard/Enterprise/Datacenter (* Cluster & Terminal Services), Windows Server 2003/2003 R2 32-64-bit (SP1/SP2)
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage		
FaxSpeed	Up to: 33.6 kbps; Letter: 5 Sec per page		(SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2 Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1)
FaxResolution	Black (best): Up to $300 \times 300$ dpi $(400 \times 400$ dpi for received faxes only); Color (best): Up to $300 \times 300$ dpi $(400 \times 400$ dpi for received faxes only); Black (standard): $204 \times 98$ dpi; Color (standard): Up to $300 \times 300$ dpi $(400 \times 400$ dpi for received faxes only):		Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/20 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Service 2016/64-bit Standard/F Sesential/Datacenter (+ Cluster & Terminal Services).
FaxSmart S oftware Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	Minimum System Requirements	PC Windows* 10, 8.1, 8, 7: 1 GHz 32-bit or 64-bit processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft* Internet Explorer. Windows Vista*: 80
FaxFeatures	Fax Memory. Up to 500 pages (black and white); Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No: Distinctive Ring Detection Supported: No: Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No: Fax Ploning Supported: Yes; Moling Supported: Yes; Moling Supported: Yes; Moling Supported: Yes; Moling Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; PF Software support provided; Remote Retrieval Capability Supported: No: Explorated: No: Supported:		LY-KUM/UVU arive or internet connection, Use part, introsper's internet explorer, windows visaes as MHz processor (32-bit only). 2 GB available hard disk space, (D-ROM/IVU) drive or internet connection USB port, Microsoff'e Internet Explorer 8. Windows* WS PS3 or higher (32-bit only); any intel® Pentium II, Celerom's e 233 MHz compatible processor, 65 DMB available hard disk space, (D-ROM/IVU) drive or Internet connection, USB port, Microsoft'e Internet Explorer 8; MAC Apple® OS X v10.12 Sierra, OS X v10.11 El Capitan, OS X v10.10 Yosemite; minimum 1.2 GB available HD space; Internet required; USB port
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power Consumption: 452 watts (max. print/copy), 107 watts (print/copy), 31 watts
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)	Acoustics	(ready), 1.4 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off) <sup>2</sup>
Wireless Capability	Optional, enabled with purchase of a hardware accessory	Operating Environment	Acoustic Power Emissions: 7 B(A) (Print color simplex A4 at 41 ppm)
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Google Cloud Print	-p-rooning active of Hillians	Operating Temperature Range: 59 to 86°F; Recommended Operating Temperature: 63 to 77°F; Storaç Temperature Range: Before initial setup (Non-Purged): -40 to 140°F; After initial setup (Purged): 32 to
Memory	Standard: 2816 MB – System Total Standard; 1280 MB on Formatter; 1024 MB on the SCB; 512 MB on the ECB; Maximum: 3584 MB – System Total Standard; 2048 MB on Formatter (with 1024 MB DIMM);		140°F. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer); Non-Operating Humidity Range: 10 to 80% RH: Operating
Processor Speed	1024 MB on the SCB; 512 MB on the ECB  1.2GHz / Hard dlsk: None. Printer uses eMMC solid state drive (SSD)	Security Management	Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH
Duty Cycle		Security Management	Kerberos authentication, LDAP authentication, 2000 user PIN codes, Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WIA-10 IPsec configuration Plug in 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email
	Monthly, letter: Up to 150,000 pages'		
Recommended Monthly Page Volume	2500 to 30,000 <sup>8</sup>		(uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Gredentials; Device: Security lock slot, USB port disablement, HP Security Management:
Media Types Supported	Plain paper, HP EcoFFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, HP Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Heavy 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored, Bond, Recycled, Rough		Encrypted credentias; Device: Security lock slot, USB port clasalement, Hr Security Management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings for HP JetAdvantage Security Manager go to http://h10032.www1.hp.com/ctg/Manual/c03602120
Media Weight Supported	Tray 1: 16-58lb, 80lb Photo Paper Only; Trays 2-5: 16-58lb; HCI Trays 3 & 4: 16-58lb;	Accessories	HP PageWide Managed 550-sheet Paper Tray (P1V16A), HP PageWide Managed 550-sheet Paper Tra and Cabinet (P1V17A), HP PageWide Managed 3x550 sheet Paper Tray and Stand (P1V18A), HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand (P1V19A), HP 128GB Memory Module (W1849A), HP Internal USB Ports (B5L2BA), HP Foreign Interface Harmess (B5L31A), HP 1 G8 x32 144-pin (800 MHz) DDR3 SDDIMM (E5K48A), HP Jetdirect 2900nw Print Server (B031A), HP Jetdirect 2900nw Print Server (B031A), HP Jetdirect 2000 wn FC/Wireldes Accessory (B030A), HP Laser Jet MFP Analog Fax Accessory 500 (CC487A), HP Staple Cartridge Refill (I8J96A)
Media Sizes Supported	12 x 18; 11 x 17; RA3; A3; 8K: 273 x 394 mm, 270 x 390 mm, 260 x 368 mm; B4 (IIS); Legal; Oficio 216 x 340 mm; Oficio 8.5 x 13; C4; SRA4; RA4 – R; Arch A-R; A4/3; A4 – R; Letter – R; 16K; 197 x 273 mm – R, 195 x 270 mm – R; executive – R; A5 – R; 16K: 184 x 260 mm – R; B5 (IIS) – R; Arch A; Statement; Letter; RA4; A4; 5 x B; Double Japan Postcard Rotated: 16K: 197 x 273 mm, 195 x 270 mm, 184 x 260 mm; Executive; B5 (IIS); B6 (IIS); 5 x 7; 4 x 6; 10 x 15 cm; A5; Double Japan Postcard Rotated – R; A6;		
			(CC+077), Till Staple Cal triage Nettit (505507)
	Executive, B5 (IJS), B6 (IJS), 5 x /; 4 x 6; 1 0 x 15 cm; A5; Double Japan Postcard Rotated -R; A6; Japanese Postard (Lustom-sized media; Envelopes; Envelope B7, Envelope B10; Japanese Envelope C6; Envelope C7, Envelope C8; Envelope C9; E	HP Service and Support Options	U9VX9E - HP 3 year Next Business Day Onsite; U9VY0E - HP 4 year Next Business Day Onsite; U9VY1E HP 5 year Next Business Day Onsite

1 With ink installed, no media in trays <sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device. <sup>3</sup> Speed specifications have been updated to reflect current industry testing methods. <sup>4</sup> Based on standard TIU-T test image #1 at standard resolution, More complicated pages or higher resolution will take longer and use more memory. <sup>5</sup> ISO Speeds measured using SO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims <sup>6</sup> No heating or fusing warm up time required <sup>7</sup> Duty cycle is defined as the maximum number of printed pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>6</sup> HP recommends that the number of printed pages per month be within the stated range for optimal device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>9</sup> HP SureSupply alerts you when you should replace a print cartridge and helps you purchase locally or via the Internet. For more information, visit hp.com/learn/suresupply. Only available with original HP supplies; Internet access required. <sup>10</sup> All HP media listed as compatible with the printer in the HP PageWide Printing Supplies Compatibility Guide, regardless of weight, may be used <sup>12</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. <sup>13</sup> Normalized TEC (watt hours per page) BA: 0.388 Wh/Dage; ES: 0.388 Wh/D

© Copyright 2018 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editional errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windowsis a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

